



SCAN ME



Hot Water Boiler

D GROUP
INDUSTRIES

EURO-1 WB

CALL US: Jordan: +962 6 4026841
KSA: +966563151089
WEBSITE: www.Shahed-group.com
EMAIL: Sales@shahed-group.com

Hot Water Boiler EURO-1 WB

The EURO-1 WB is a fire tubes shell boiler wet back, reverse combustion type. It is a high-efficiency boiler that can provide hot water and space heating for apartments, houses, and small villas. The boiler has a capacity of 30,000-70,000 kcal/h (35-81kW) and a thermal efficiency of more than 90%. The maximum working pressure is 3 bar, and the hydrostatic test pressure is 4.5 bar. The boiler is produced according to BS 855 and DIN 4702.

Euro boilers are designed and manufactured to accommodate the installation of various types of international burners, including but not limited to Swedish Bontone burners, Italian Riello burners, and Italian Blowtherm burners. Euro boilers allow for modifications to be made to the boiler doors to install any other type of burner if the client wishes to do so, especially when replacing an old boiler with a new one.



KEY FEATURES

- **High efficiency:** The boiler has a thermal efficiency more than 90%, which means that it consumes less fuel to produce hot water. This can save you money on your energy bills.
- **Durable construction:** The boiler is made from high-quality materials and is built to last and meets European safety standards.
- **Easy to use:** The boiler is easy to operate and maintain. It has a simple control panel that makes it easy to set the desired temperature.

A

Significant Improvements
○ Enhanced Energy Efficiency, and Increased Capacity Range.

B

Significant Improvements
○ Advanced user experience Controls.

If you are looking for a high-efficiency, durable, and easy-to-use hot water boiler, then the EURO-1 WB is a great option. It is a perfect choice for apartments, houses, and small villas.

بوييرات الماء الساخن

EURO-1 WB

المميزات الرئيسية

٥ كفاءة عالية: يتميز البويير بكافأة حرارية تبلغ أكثر من 90٪ مما يعني أنه يستهلك وقوداً أقل لإنتاج الماء الساخن. هذا يمكن أن يوفر لك المال على فواتير الطاقة الخاصة بك.


٥ هيكل متين: البويير مصنوع من مواد عالية الجودة ومصمم لي-dom، ويلبي معايير السلامة الأوروبية.

٥ سهل الاستخدام: البويير سهل التشغيل والصيانة، ويحتوي على لوحة تحكم بسيطة تجعل من السهل ضبط درجة الحرارة المطلوبة.

هو بويير مصنوع من حديد الصاج ذو أنابيب اللهب. يستخدم لغايات التدفئة المركزية والماء الساخن وتتدفئة المساحات للشقق والمنازل والفلل الصغيرة. تبلغ قدرة البويير 30000 - 70000 كيلو كالوري / ساعة (35-81 كيلو واط)، وكفاءة حرارية | أكثر من 90 %. يبلغ ضغط التشغيل الأقصى 3 بار وضغط الاختبار الهيدروستاتيكي 4.5 بار. يتم إنتاج البويير وفقاً للمواصفة البريطانية (BS 855) والمواصفات الألمانية (DIN 4702).


يتم تصميم وتصنيع بوييرات يورو بما يتناسب مع تركيب مختلف أنواع الحارقات العالمية على سبيل المثال وليس الحصر، كحارقات بنتون السويدية (Bontone) وحارقات ريلو (Riello) وبولثيرم (Blowtherm) الإيطالية كما وتمكن إجراء أي تعديلات على أبواب البوييرات لتركيب أي نوع آخر من الحارقات في حال رغب المستفيد بذلك وخصوصاً في حال تبديل البويير القديم بأخر جديد.

- تحسينات مهمة
 - تعزيز كفاءة الطاقة، وزيادة نطاق قدرات الأجهزة.
- تحسينات مهمة
 - عناصر التحكم المتقدمة لتحكم تجربة المستخدم.




إذا كنت تبحث عن بوييرات ماء ساخن عالية الكفاءة ومتينة وسهلة الاستخدام، فإن (EURO-1 WB) يعد خياراً رائعاً ومثالياً للشقق والمنازل والفلل الصغيرة.

Boiler Specifications For EURO- 1 WB Options



| TYPE | EURO WB-1 | Fire tube shell boiler, wet back, revers combustion chamber | | | |
|-------------------------------|-----------|---|---------|--------|--------|
| SPECIFICATIONS- MODEL | | 30 | 40 | 52 | 62 |
| Nominal capacity max. | Kcal/h | 30000 | 40000 | 52000 | 62000 |
| Nominal capacity | kW | 20-35 | 35 - 47 | 47-64 | 64-81 |
| Fuel consumption at max. Load | kg/h | 2.9 | 3.9 | 5.4 | 6.8 |
| Combustion chamber pressure | mbar | 0.21 | 0.23 | 0.27 | 0.32 |
| Water content | lt | 40 | 48 | 73 | 91 |
| Weight | kg | 95 | 115 | 155 | 180 |
| CONNECTIONS (inch) | | | | | |
| Boiler Supply | BS | 1 1/4" | 1 1/2" | 1 1/2" | 1 1/2" |
| Boiler Return | BR | 1 1/4" | 1 1/2" | 1 1/2" | 1 1/2" |
| Boiler Drain | BD | 1/2" | 1/2" | 1/2" | 1/2" |
| Air Vent | AV | 1/2" | 1/2" | 1/2" | 1/2" |
| Safety Valve (3bar) | SV | 1/2" | 1/2" | 1/2" | 1/2" |
| DIMENSIONS (cm) | | | | | |
| | A1 | 76 | 78 | 90 | 95 |
| | A2 | 90 | 92 | 104 | 109 |
| | C | 46 | 51 | 61 | 66 |
| | D1 | 63 | 63 | 73 | 85 |
| | D2 | 83 | 84 | 95 | 107 |
| | E | 33 | 33 | 37 | 40 |
| | F | 13 | 13 | 15 | 15 |
| | G | 55 | 63 | 67 | 70 |





SCAN ME

Hot Water Boiler

EURO- 1 WB

Head Office



Jordan, Amman -
Al Rafeem



+962 79 2555261



Info@shahed-group.com
Sales@shahed-group.com

The Factory



Jordan, Amman –
Al-Rajib



+962 6 4026841



Info@shahed-group.com

Office Branch-KSA



Saudi Arabia - Riyadh



+966 563151089
+966 544261065



m.tashtush@shahed-group.com